


Classic Brush

→ ENTRANCE MAT • INDOOR & OUTDOOR



→ WHY CHOOSE THIS MAT?

Classic Brush mats feature extra-course nylon fibers blended with traditional nylon carpet fibers. This duo of fibers is designed to create excellent scraping and wiping action for maximum soil-stopping power.

- Coarse nylon fibers combined with traditional solution dyed fibers create excellent scraping and wiping action for **maximum soil reduction**
- **LUTRADUR™ primary substrate** will not fray, reduces linting and provides a strong bond between the rubber and carpet
- **The rubber backing** prevents curling and cracking in all types of weather
- The rubber is **Phthalate free** and consists of **34% post-industrial recycled** content in the **rubber** to further reduce the impact on the environment

→ SPECIFICATIONS

Material	Rhodia Solution Dyed Nylon, Type 6,6 Continuous Filament, Type 6 Nylon
Backing	<ul style="list-style-type: none">• Carpet weight: 895 g/m²• Primary Backing: 100% recycled PET non-woven• Rubber backing: 100% nitrile rubber for maximum oil resistance, durability, and performance. Compression-molded with reinforced borders on all four sides. There is 34% post industrial recycled content in the polymer.
Border	<ul style="list-style-type: none">• Thickness: 2.5 mm• Width: 2 cm
Other properties	<ul style="list-style-type: none">• Thickness: 1.5 mm• Pile height: 10 mm• Total weight: 2,16 kg/m²
Colour	Onyx Brush
Recommended use	Recommended for indoor use at entryways where more aggressive scraping/wiping action is desired to remove dirt, sand, and moisture from shoes to prevent tracking.



Maximum soil reduction



→ STANDARD SIZES

60 x 85	75 x 85	85 x 115	85 x 150
85 x 300	115 x 180	115 x 200	115 x 240
115 x 250	115 x 300	150 x 200	150 x 240
150 x 300			

Max. length: 550 cm

Size Tolerance: +/- 2%

→ COLOUR



Onyx Brush

→ CLEANING INSTRUCTIONS



Classic Brush mats can be cleaned in several different ways:

1. They can be commercially laundered (see Laundering Instructions)
2. Vacuumed regularly (daily in high-traffic areas; weekly in lower-traffic applications)
3. Cleaned with an extractor and laid flat to dry

Mats should always be dry before they are placed back in service and cooled before rolling.

Laundering Instructions

1. Flush, 2-3 Min. on a medium water level with a maximum temperature of 49 °C
2. Flush (optional), 2-3 Min. on a medium water level with a maximum temperature of 49 °C
3. Break, 2-3 Min. on a high water level with a maximum temperature of 49 °C
4. Rinse, 2 Min. on a high water level with cold temperature
5. Rinse, 2 Min. on a high water level with cold temperature
6. Extract on low speed, 1-2 Min
7. Shakeout (rotate the wheel at wash speed with the drain open), 1 Min
8. Extract on low speed, 3-5 Min
9. Dry, 5-10 Min. with a maximum basket temperature of 82 °C
10. Cooldown, 5 Min

Additional recommendations

- For Heavy Soiled Mats, increase the temperature up to max. 60 °C
- The wash or rinse baths should have a pH between 6 and 9.5; use low pH non-ionic detergents.
- Do not overdry mats; Basket-temperature of the dryer should not exceed 82 °C
- If mats are not dried, the final rinse can be increased to 60 °C. This will reduce moisture retention following extraction
- Lay mats flat following removal from washer; allow mats to cool before rolling